



# TITAN™ Sidekick™, Portable Liquid Transfer Tank



## 5040015 15 Gallon (56.78 L.) SideKick™ Compact Liquid Transfer Tank

For handy transport of flammable, combustible, or nonflammable liquids. A convenient shaker siphon is included. Can be installed in any corner of a pickup bed with the included hardware.

*Enclosed warranty form must be returned within sixty (60) days of receipt for warranty to be valid.*



## TITAN™ SideKick

ITEM NUMBER	PART DESCRIPTION	TITAN PART NUMBER	QTY.
1	Sidekick Tank Body	99 0000 0513	1
2	Fuel Cap	99 0000 0936	1
3	Grounding Stud Assembly	99 0139 0000	1
4	Bracket 1	99 0000 0563	1
5	Bracket 2	99 0000 0564	1
6	Toe Clamp	99 0000 0565	1
7	1/4"-14 Steel Drilling Screw, 1" Length, Zinc-Plated Steel	99 0000 0526	6
8	Grounding Wire	99 0154 0000	1
9	10-24 Pan Head Phillips Machine Screw, 1/4" Length, 18-8 Stainless Steel	99 0000 0540	1
10	3/8"-16 Cap Screw, 1" Long, Grade 2 Zinc-Plated Steel	99 0000 0528	1
10	3/8"-16 Cap Screw, 1-3/4" Long, Grade 2 Zinc-Plated Steel	99 0000 0529	1
10	3/8"-16 Cap Screw, 2-1/2" Long, Grade 2 Zinc-Plated Steel	99 0000 0530	1
11	Bumper	99 0000 0527	1
12	3/8"-16 Hex Nut, Grade 2 Zinc-Plated Steel	99 0000 0531	1
13	3/8"-16 Flange Hex Locknut, Grade 2 Zinc-Plated Steel	99 0000 0532	1

**IMPORANT:** Be sure to attach and run the grounding wire from the grounding stud to a mounting bolt. Be sure the tank is grounded to a steel part of the vehicle body which is grounded to the chassis.

## Fill Cap with Pressure Relief Vent Usage

Before unscrewing the fill cap, twist the red button to unlock then depress to release pressure.


When fill cap is screwed back on, make sure to lock the red button to prevent venting.

Always ensure the tank is level when filling, unscrewing, or venting the fill cap.

Tank bloating and contraction is normal in changing ambient temperatures and/or elevation. It is good practice to vent the tank on a regular basis.

Never allow tank to automatically vent under a bed cover.

Never overfill the tank. Max capacity is 15 Gallons.



**P.O. Box 2225  
Idaho Falls, ID 83403 USA  
Telephone (800) 728-4982 FAX (208) 529-2162**

**[www.titanfueltanks.com](http://www.titanfueltanks.com)**

**TITAN Fuel Tanks are PROUDLY MADE IN THE USA**  
TITAN pt. no.: 99 0000 0543 Revised 5.25.21 ©2021 Supertanks, LLC